

## SAFETY DATA SHEET HFE-7200 Reclaimed Fluid

## **SECTION 1: IDENTIFICATION**

1.1. Product identifier:	
Trade name:	HFE-7200 Reclaimed Fluid
Product no.:	7200R-12
1.2. Relevant identified us	ses of the substance or mixture and uses advised against:
	<b>f</b> Industrial purposes, Heat Transfer, Cleaning Agent Restricted to professional users.
Uses advised against :	Not Intended for Use as Medical Device or Drug.
1.3. Details of the supplier	r of the safety data sheet:
Company and address:	<b>TMC Industries, Inc.</b> 1423 Mill Lane Waconia, Minnesota 55387 USA TF: +1 (800) 772-8179 www.tmcindustries.com
Contact person:	Nick Hansen
E-mail:	sales@tmcindustries.com
SDS date:	10/3/2024
SDS Version:	1.0

## 1.4. Emergency telephone number:

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case See also section 4 "First aid measures". Emergency Telephone Number: CHEMTREC 24-HR Emergency USA, Canada, Puerto Rico, US Virgin Islands (800) 424-9300.

## SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1. Classification of the substance or mixture:

Not classified according to HCS (29 CFR 1910.1200)

### 2.2. Label elements:



Hazard pictogram(s):	Not applicable.
Signal word:	Not applicable.
Hazard statement(s):	
Precautionary statement(s):	
General:	-
Prevention:	Avoid release to the environment. (P273)
Response:	-
Storage:	-
Disposal:	Refer to manufacturer or supplier for information on recovery or recycling. (P502)
Additional labelling:	Not applicable.

### 2.3. Other hazards:

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances:

Not applicable. This product is a mixture.

### 3.2. Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
Ethyl nonafluoroisobutyl ether	CAS No.: 163702-06-5	55-90%		
Ethyl nonafluorobutyl ether	CAS No.: 163702-05-4	10-45%		

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information:

-

## SECTION 4: FIRST-AID MEASURES



### 4.1. Description of first aid measures:

General information:	If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	In case of discomfort: bring the person into fresh air.
Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
Eye contact:	Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.
Ingestion:	Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.
Burns:	Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed:

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

### Information to medics:

Bring this safety data sheet or the label from this product.

### SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Carbon oxides (CO / CO2)

### **5.3. Advice for firefighters:**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.



Fire fighters should wear appropriate personal protective equipment.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures:

Contaminated areas may be slippery.

### 6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling:

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities:

Recommended storage material:	Keep only in original packaging.
Storage conditions:	Keep container tightly closed
Incompatible materials:	Strong acids Strong oxidizing agents Bases

### 7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters:

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

### 8.2. Exposure controls:

Apply general control to prevent unnecessary exposure

General	Smoking, drinking and consumption of food is not allowed in the work area.
recommendations:	

HFE-7200 Reclaimed Fluid



Exposure scenarios:	There are no exposure scenarios implemented for this product.	
Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.	
Appropriate technical measures:	Apply standard precautions during use of the product. Avoid inhalation of vapours.	
Hygiene measures:	Wash hands after use.	
Measures to avoid environmental exposure:	No specific requirements.	

### Individual protection measures, such as personal protective equipment:

**Generally:** Use only protective equipment with a recognized certification mark, e.g. the UL mark.

### **Respiratory Equipment:**

Work situation	Туре	Class	Colour	Standards	
-	Positive pressure supplied air respirator.				

### **Skin protection:**

Work situation	Recommended	Type/Category	Standards	
if the situation	Use proper protective	Use proper protective		
requires.	clothing	clothing		

### Hand protection:

Work situation		Breakthrough time (min.)	Standards	
When the product is subjected to extreme heat, HF may be formed.	Neoprene			

#### Eye protection:

Туре	Standards	
No specific	-	
requirements		

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties:

### Physical state:

Liquid



#### Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Color:	Colourless	
Odor:	Faint	
Odor threshold (ppm):	No data available	
pH:	Not applicable	
Density (g/cm³):	1.43 (77 °F)	
Kinematic viscosity:	0.6 cPs	
Particle characteristics:	Not applicable	
Phase changes:		
Melting point/freezing point (°F):	-216.4	
Melting point/freezing point (°C):	-138	
Softening point/range (°F)	: Does not apply to liquids.	
Boiling point (°F):	168.8	
Boiling point (°C):	76	
Vapor pressure:	16 kPa (77 °F)	
Relative vapor density:	9.1 Reference: Air = 1	
Decomposition temperature (°F):	No data available	
Data on fire and explosior	n hazards:	
Flash point (°F):	No flash point	
Flammability (°F):	Not applicable	
Auto-ignition temperature (°F):	707	
Auto-ignition temperature (°C):	375 Test method: ASTM E659-18	
Explosion limits (% v/v):	No data available	
Solubility:		
Solubility in water:	Nil	
n-octanol/water coefficient (LogKow):	No data available	



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Solubility in fat (g/L):	No data available
9.2. Other information:	
Thermal stability:	Stable under normal conditions.
Critical temperature (pure gas) (°C):	210
Decomposition temperature (Self-reactive substances and mixtures) (°C):	No Data Available
Evaporation rate (n- butylacetate = 100):	No data available
Other physical and chemical parameters:	No data available.
Surface tension (mN/m):	13.6
Molecular Weight (g/mol):	264
Oxidizing properties:	No data available

### 10.1. Reactivity:

No data available.

### 10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

## **10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies:** None known.

### 10.4. Conditions to avoid:

None known.

### 10.5. Incompatible materials:

Strong acids, strong bases, and strong oxidizing agents.

### 10.6. Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects:

### Acute toxicity:

HFE-7200 Reclaimed Fluid



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Product/substance	Ethyl nonafluoroisobutyl ether
Route of exposure:	Dermal
Test:	LD50
Result:	2000-5000 mg/kg
Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>989 mg/L
Product/substance	Ethyl nonafluorobutyl ether
Route of exposure:	Dermal
Test:	LD50
Result:	2000-5000 mg/kg
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>989 mg/L
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg
<b>Skin corrosion/irrit</b>	t <b>ation:</b>
Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)
<b>Serious eye damag</b>	<b>je/irritation:</b>
Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)

## Respiratory sensitisation:



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Product/substance Result:	Ethyl nonafluoroisobutyl ether For the components(s), either no data are available or the data are not sufficient for the classification.
Product/substance Result:	Ethyl nonafluorobutyl ether For the components(s), either no data are available or the data are not sufficient for the classification.
Skin sensitisation:	
Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Guinea pig
Result:	For the components(s), either no data are available or the data are not sufficient for the classification.
Product/substance	Ethyl nonafluorobutyl ether
Species: Result:	Guinea pig For the components(s), either no data are available or the data are not sufficient for the classification.
Germ cell mutage	•
Product/substance Conclusion:	Ethyl nonafluoroisobutyl ether No adverse effect observed
Product/substance	Ethyl nonafluorobutyl ether
Conclusion:	No adverse effect observed
Carcinogenicity:	
Product/substance Conclusion:	Ethyl nonafluoroisobutyl ether Not Classified
Product/substance	Ethyl nonafluorobutyl ether
Conclusion:	Not Classified
Reproductive toxi	•
Product/substance	Ethyl nonafluoroisobutyl ether
Species: Duration:	Rat During gestation
Fest:	NOAEL
Result:	260 mg/L
Conclusion:	Not Classified
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Duration:	During gestation
Test:	NOAEL
Result:	260 mg/L



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Conclusion: Not Classified

## STOT-single exposure:

STOT-Single expos			
Product/substance	Ethyl nonafluoroisobutyl ether		
Species:	Dog		
Route of exposure:	Inhalation Cardiac sensitization		
Target organ:			
Duration:	17 minutes		
Test:	NOAEL		
Result:	204 mg/L		
Conclusion:	Not Classified		
Product/substance	Ethyl nonafluoroisobutyl ether		
Species:	Rat		
Route of exposure:	Inhalation		
Target organ:	Respiratory irritation		
Duration:	4 hours		
Test:	NOAEL		
Result:	989 mg/L		
Product/substance	Ethyl nonafluorobutyl ether		
Species:	Dog		
Route of exposure:	Inhalation		
Target organ:	Respiratory irritation		
Duration:	17 minutes		
Test:	NOAEL		
Result:	204 mg/L		
Conclusion:	Not Classified		
Product/substance	Ethyl nonafluorobutyl ether		
Species:	Rat		
Route of exposure:	Inhalation		
Target organ:	Respiratory irritation		
Duration:	4 hours		
Test:	NOAEL		
Result:	989 mg/L		
Conclusion:	Not Classified		
STOT-repeated ex	posure:		
Product/substance	Ethyl nonafluoroisobutyl ether		
Species:	Rat		
Route of exposure:	Inhalation		
Target organ:	Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder		
Duration	Awooks		



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Conclusion:	Not Classified
Product/substance	Ethyl nonafluoroisobutyl ether
Species:	Rat
Route of exposure:	Oral
Target organ:	Endocrine system, bone, teeth, nails/hair, hematopoietic system, heart, immune system, nervous system
Duration:	28 days
Test:	NOAEL
Result:	1000 mg/kg bw/day
Conclusion:	Not Classified
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Target organ:	Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder
Duration:	4 weeks
Test:	NOAEL
Result:	263.4 mg/L
Conclusion:	Not Classified
Product/substance	Ethyl nonafluorobutyl ether
Species:	Rat
Route of exposure:	Inhalation
Target organ:	Endocrine system, bone, teeth, nails/hair, hematopoietic system, heart, immune system, nervous system
Duration:	28 days
Test:	NOAEL
Result:	1000 mg/kg bw/day
Conclusion:	Not Classified
Aspiration hazard:	
Product/substance	Ethyl nonafluoroisobutyl ether
Conclusion:	No data available or the data is not sufficient for classification.
Product/substance	Ethyl nonafluorobutyl ether
Conclusion:	No data available or the data is not sufficient for classification.
Long term effects:	
None known.	
Other information:	
None known.	

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity:



No data available.

### 12.2. Persistence and degradability:

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential:

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil:

No data available.

### 12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Other adverse effects:

None known.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods:

This material can be reclaimed by TMC Industries. Contact TMC for more information.

### RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

None of the components are listed

### Specific labelling:

### **Contaminated packing:**

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: TRANSPORT INFORMATION**

		14.2 UN proper shipping name	14.3 Hazard class(es)		Env**	Other informat ion:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information:

Not dangerous goods according to DOT, IATA and IMDG.

### 14.6. Special precautions for user:

Not applicable.

### 14.7. Transport in bulk according to IMO instruments:



No data available.

## **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential portion):	Ethyl nonafluoroisobutyl ether is listed Ethyl nonafluorobutyl ether is listed	
Clean Air Act:	None of the components are listed	
EPCRA Section 302:	None of the components are listed	
EPCRA Section 304:	None of the components are listed	
EPCRA section 313:	None of the components are listed	
CERCLA:	None of the components are listed	
Hazardous chemical inventory reporting:	This product is not subject to Tier II reporting.	
State regulations:		
California / Prop. 65:	None of the components are listed	
Massachusetts / Right To Know Act:	None of the components are listed	
New Jersey / Right To Know Act:	None of the components are listed	
New York / Right To Know Act:	None of the components are listed	
Pennsylvania / Right To Know Act:	None of the components are listed	
NFPA: Health hazard: 3 Fire hazard: 1 Instability hazard: 0 Specific hazard: None 15.4. Restrictions for applie	cation:	
Restricted to professional users.		

## 15.5. Demands for specific education:

No specific requirements.



### 15.6. Additional information:

Not applicable.

### 15.7. Chemical safety assessment:

No

### 15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

### **SECTION 16: OTHER INFORMATION**

### The full text of identified uses as mentioned in section 1:

None known.

### Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate **BCF** = Bioconcentration Factor CAS = Chemical Abstracts Service CERCLA = Comprehensive Environmental Response Compensation and Liability Act DOT = Department of Transportation EINECS = European Inventory of Existing Commercial chemical Substances EPCRA = Emergency Planning and Community Right-To-Know Act GHS = Globally Harmonized System of Classification and Labelling of Chemicals HCIS = Hazardous Chemical Information System HNOC = Hazards Not Otherwise Classified IARC = International Agency for Research on Cancer IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NFPA = National Fire Protection Association NIOSH = National Institute for Occupational Safety and Health OECD = Organisation for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration PBT = Persistent, Bioaccumulative and Toxic RCRA = Resource Conservation and Recovery Act RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TSCA = The Toxic Substances Control Act TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

### Additional information:

In accordance with HCS (29 CFR 1910.1200(g)), a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information.

### The safety data sheet is validated by:

TMC Industries, Inc. - QC Department

### Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en