

CHRISTO-LUBE[®] MCG 117

1.	Substance, Preparation, and Company Description	
	Material Uses	Lubricant, Grease, Industrial applications
	Manufacturer	Engineered Custom Lubricants (ECL) 3851 Exchange Ave. Aurora, IL 60504 630-449-5000
	Product Code	CHRISTO-LUBE MCG 117
	Validation Date	January 8, 2015
	In case of emergency contact	1-630-449-5000
2.	Hazards Identification	
	Emergency Overview	
	Physical State	Semi-solid, grease
	Color	Tan
	Odor	Nearly odorless
	Hazard Statements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.
	OSHA/HCS Status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.
	Routes of Entry	Dermal contact. Eye contact. Ingestion
	Potential acute health effects	
	Inhalation	No known significant effects or critical hazards.
	Ingestion	No known significant effects or critical hazards.
	Skin	No known significant effects or critical hazards.
	Eyes	No known significant effects or critical hazards.
	Potential chronic health effects	
	Chronic effects	No known significant effects or critical hazards.
	Carcinogenicity	No known significant effects or critical hazards.
	Mutagenicity	No known significant effects or critical hazards.
	Teratogenicity	No known significant effects or critical hazards.
	Fertility effects	No known significant effects or critical hazards.
	Developmental effects	No known significant effects or critical hazards.
	Over-exposure signs/symptoms	
	Inhalation	No specific data
	Ingestion	No specific data

	Skin	No specific data																	
	Eyes	No specific data																	
	Medical conditions aggravated by over-exposure	None known																	
3.	Composition/Component Data																		
	<table border="1"> <thead> <tr> <th>Name</th> <th>CAS Number</th> <th>EINECS Number</th> <th>%</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Name	CAS Number	EINECS Number	%												
Name	CAS Number	EINECS Number	%																
	No Hazardous or Reportable Ingredients																		
4.	First Aid Measures																		
	Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.																	
	Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.																	
	Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt, or waistband. Get medical attention if symptoms occur.																	
	Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.																	
	Protection for first-aiders	No action shall be taken involving any personal risk or without suitable training.																	
	Note to Physician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.																	
5.	Firefighting Measures																		
	Suitable Extinguishing Media	Dry Chemical, CO ₂ , Foam. or Water Fog																	
	Special Exposure Hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.																	
	Hazardous thermal decomposition products	Burning may produce gaseous hydrogen fluoride (HF), Fluorophosgene																	
	Special protective equipment for firefighters	Fire-fighters should wear protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.																	
6.	Accidental Release Measures																		
	Personal Precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protection equipment (see Section 8).																	
	Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).																	

	Methods for Clean up	<p>Small spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.</p> <p>Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.</p> <p>Note: See section 1 for emergency contact information and section 13 for waste disposal.</p>																											
7. Handling and Storage																													
	Handling	Put on appropriate personal protection equipment (see section 8). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas.																											
	Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.																											
8. Exposure Limits and Personal Protective Equipment																													
<p style="text-align: center;">United States</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Occupational Exposure Limits</th> </tr> <tr> <th style="width: 50%; text-align: center;">Ingredient</th> <th style="width: 50%; text-align: center;">Exposure Limits</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table> <p style="text-align: center;">Canada</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5" style="text-align: center;">Occupational Exposure Limits</th> </tr> <tr> <th style="width: 20%; text-align: center;">Ingredient</th> <th style="width: 20%; text-align: center;">List Name</th> <th style="width: 20%; text-align: center;">TWA (8 Hours)</th> <th style="width: 20%; text-align: center;">STEL (15 mins)</th> <th style="width: 20%; text-align: center;">Ceiling</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> <p style="text-align: center;">Mexico</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">Occupational Exposure Limits</th> </tr> <tr> <th style="width: 50%; text-align: center;">Ingredient</th> <th style="width: 50%; text-align: center;">Exposure Limits</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table>			Occupational Exposure Limits		Ingredient	Exposure Limits			Occupational Exposure Limits					Ingredient	List Name	TWA (8 Hours)	STEL (15 mins)	Ceiling						Occupational Exposure Limits		Ingredient	Exposure Limits		
Occupational Exposure Limits																													
Ingredient	Exposure Limits																												
Occupational Exposure Limits																													
Ingredient	List Name	TWA (8 Hours)	STEL (15 mins)	Ceiling																									
Occupational Exposure Limits																													
Ingredient	Exposure Limits																												
	Recommended Monitoring Procedures	If this product contains ingredients with exposure limits, personal, workplace, atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.																											
	Engineering Measures	No specific ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.																											
	Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.																											

Personal Protection	
Respiratory	Use properly fitted, air-purifying or air fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposures to liquid splashes, mists, or dusts.
Skin	Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements or environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
9. Physical and Chemical Properties	
Physical State	Semi-solid, grease
Flash Point	Not Available
Auto-ignition Temperature	Not Available
Flammable Limits	Not Available
Color	Tan
Odor	Nearly odorless
pH	Not Available
Boiling/condensation Point	Not Available
Melting/freezing Point	Not Available
Density	1.8-2.0 g/cm ³
Vapor Pressure	Not Available
Vapor Density	Not Available
Volatility	Not Available
Evaporation Data	Not Available
Viscosity	Not Available
Dispensability Properties	Not Available
Solubility	Insoluble in the following materials: hot and cold water
Physical/chemical Properties Comments	Not Available
10. Stability and reactivity	
Chemical Stability	The product is stable
Conditions to avoid	No specific data
Incompatible Materials	No specific data
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition product should not be produced.
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
11. Toxicological Data	

Acute Toxicity: None known	
United States	
Product/Ingredient Name	Result
Species	Dose
Exposure	
Canada	
Product/Ingredient Name	Result
Species	Dose
Exposure	
Mexico	
Product/Ingredient Name	Result
Species	Dose
Exposure	
Chronic Toxicity	Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation.
Irritation/Corrosion	Skin: No known significant effects or critical hazards. Eyes: No known significant effects or critical hazards. Respiratory: Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation.
Sensitizer	Skin: No specific information is available regarding the skin sensitizing properties of this product. Sensitization not expected for humans. Respiratory: Sensitization not expected for humans.
Carcinogenicity	There is no data on the preparation itself. Carcinogenicity not suspected for humans.
Mutagenicity	There is no data on the preparation itself. Mutagenicity not suspected for humans.
Teratogenicity	There is no data on the preparation itself. Teratogenicity not suspected for humans.
Reproductive Toxicity	There is no data on the preparation itself. Not considered to be dangerous to humans.
12. Ecological Data	
Ecotoxicity	Not readily biodegradable
United States	
Aquatic Ecotoxicity	There is no data available on the preparation itself
Persistence/Degradability	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.
Canada	
Aquatic Ecotoxicity	There is no data available on the preparation itself
Persistence/Degradability	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.
Mexico	
Aquatic Ecotoxicity	There is no data available on the preparation itself
Persistence/Degradability	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.
13. Disposal Considerations	


Waste Disposal	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times comply with the requirement of environmental protection and waste disposal legislation and any regional or local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and it's container must be disposed of in a safe way. Empty containers or liners may contain some product residues. Avoid dispersal of spilled material and run-off and contact with soil, waterways, drains, and sewers.
Disposal should be in accordance with applicable regional, national, and local laws and regulations	
Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE LIMITS AND PERSONAL PROTECTIVE EQUIPMENT for additional handling information and protection of employees.	

14. Transportation Information

Regulatory Information	UN Number	Proper Shipping Name	Classes	Packing Group	Label	Additional Information
DOT Classification	Not Regulated					
TDG Classification	Not Regulated					
Mexico Classification	Not Regulated					
ADR/RID Class	Not Regulated					
IMDG Class	Not Regulated					
IATA-DGR Class	Not Regulated					

15. Regulatory Information

United States	
HSC Classification	Not Regulated
TSCA 8(a) IUR Exempt/Partial Exemption	Not Determined
United States Inventory (TSCA 8b)	All components are listed or exempt
Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed
SARA 313: No listed substances	
Canada	
WHMIS (Canada)	Not controlled under WHMIS (Canada)
Canadian NPRI	None of the components are listed

	CEPA Toxic Substances	None of the components are listed								
	Canada Inventory	All components are listed or exempted								
	Mexico									
	Classification	 <p style="text-align: center;">Health: 1 Flammability: 0 Reactivity: 0</p>								
16.	Other Information									
	Labeling Requirements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED								
	Hazardous Material Information System (USA)	<table border="1" style="display: inline-table; vertical-align: top;"> <tr> <td style="background-color: #0000FF; color: white;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #FFFF00; color: black;">REACTIVITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td style="text-align: center;">B</td> </tr> </table> <p style="margin-left: 20px;">HMIS Ratings are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.</p>	HEALTH	1	FLAMMABILITY	0	REACTIVITY	0	PERSONAL PROTECTION	B
HEALTH	1									
FLAMMABILITY	0									
REACTIVITY	0									
PERSONAL PROTECTION	B									
	The customer is responsible for determining the PPE code for this material.									
	Date of Issue	January 8, 2015								
	Version	2								
	Changes from Previous Version	N/A								
	Prepared by:	ECL Research and Development Department								
	<p>Notice to reader: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.</p>									