

SAFETY DATA SHEET

TMC-367E

SECTION 1: IDENTIFICATION

1.1. Product identifier:

Trade name: TMC-367E
Product no.: 2504E-10, 2504E-50, 2504E-550

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the substance or mixture: Cleaning Agent, Vapor Degreasing Agent
Restricted to professional users.
Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet:

Company and address: **TMC Industries, Inc.**
1423 Mill Lane
Waconia, Minnesota 55387
USA
TF: +1 (800) 772-8179
www.tmcindustries.com

Contact person: Nick Hansen
E-mail: sales@tmcindustries.com
SDS date: 4/23/2024
SDS Version: 2.0
Date of previous version: 4/23/2024 (1.0)

1.4. Emergency telephone number:

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case
See also section 4 "First aid measures".
Emergency Telephone Number: CHEMTREC 24-HR Emergency USA, Canada, Puerto Rico, US Virgin Islands (800) 424-9300.

SECTION 2: HAZARD(S) IDENTIFICATION

OSHA/HCS status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. ▼ Classification of the substance or mixture:

Acute Tox. 4; H302, Harmful if swallowed.
Skin Irrit. 2; H315, Causes skin irritation.
Eye Irrit. 2B; H320, Causes eye irritation
Acute Tox. 4; H332, Harmful if inhaled.
STOT SE 3; H336, May cause drowsiness or dizziness.
Aquatic Chronic 3; H412,

2.2. Label elements:

Hazard pictogram(s):



Signal word:	Warning
▼ Hazard statement(s):	Harmful if swallowed or if inhaled. (H302+H332) Causes skin irritation. (H315) Causes eye irritation (H320) May cause drowsiness or dizziness. (H336) Harmful to aquatic life with long lasting effects. (H412)
Precautionary statement(s):	
General:	-
▼ Prevention:	Avoid breathing mist/vapour. (P261) Wash hands and exposed skin thoroughly after handling. (P264) Use only outdoors or in a well-ventilated area. (P271) Avoid release to the environment. (P273) Wear eye protection/protective gloves/protective clothing. (P280)
▼ Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340) Call a doctor if you feel unwell. (P312) If eye irritation persists: Get medical advice/attention. (P337+P313) IF ON SKIN: Call a if you feel unwell. (P302+P312)
Storage:	Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
Disposal:	Refer to the manufacturer/supplier for information on disposal/ recovery/ recycling. (P503)
Additional labelling:	Not applicable.

2.3. Other hazards:

Additional warnings: This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable. This product is a mixture.

3.2. ▼ Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
cis-dichloroethylene	CAS No.: 156-60-5	40-50%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H336	
Proprietary Fluorinated Compound	CAS No.: Confidential	50-60%	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H336	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

-

SECTION 4: FIRST-AID MEASURES

4.1. ▼ Description of first aid measures:

General information:	If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
▼ Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.
▼ Skin contact:	IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
▼ Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
▼ Ingestion:	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.
Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed:

If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds
Carbon oxides (CO / CO₂)

5.3. Advice for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. ▼ Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with spilled substances.
 Ensure adequate ventilation, especially in confined areas.
 Avoid inhalation of vapours from spilled material.
 Contaminated areas may be slippery.

6.2. ▼ Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
 Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.
 See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. ▼ Precautions for safe handling:

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.
 Avoid contact during pregnancy and while nursing.
 Smoking, drinking and consumption of food is not allowed in the work area.
 See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:	Keep only in original packaging.
▼ Storage temperature:	Keep container tightly closed Store in a cool, dry place out of direct sunlight Do not freeze or store below 32°F (0°C) nor above 90°F (32°C) to prevent leakage or potential rupture of container due to contraction/expansion and pressure changes.
▼ Incompatible materials:	Polystyrene Polycarbonate ABS Polyphenylene Oxide (PPO) Epichlorohydrin Silicone Natural Rubber Acrylic

7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

8.2. ▼ Exposure controls:

Apply general control to prevent unnecessary exposure


General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

- Exposure scenarios:** There are no exposure scenarios implemented for this product.
- Exposure limits:** Occupational exposure limits have not been defined for the substances in this product.
- Appropriate technical measures:** Apply standard precautions during use of the product. Avoid inhalation of vapours.
- ▼ **Hygiene measures:** Take off contaminated clothing and wash it before reuse.
- ▼ **Measures to avoid environmental exposure:** Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment:

Generally: Use only protective equipment with a recognized certification mark, e.g. the UL mark.


▼ **Respiratory Equipment:**

Work situation	Type	Class	Colour	Standards	
When the concentration in the air exceeds the occupational exposure limit or irritation and other symptoms occur	Self contained breathing apparatus			EN137, EN139	


Skin protection:

Work situation	Recommended	Type/Category	Standards	
if the situation requires.	Use proper protective clothing	Use proper protective clothing		

▼ **Hand protection:**

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Under normal use conditions.	Neoprene				

▼ **Eye protection:**

Work situation	Type	Standards	
Under normal use conditions.	Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

- Physical state:** Liquid
- Colour:** Colorless
- Odour:** Slight odor
- Odour threshold (ppm):** No Data Available
- pH:** No data available
- Density (g/cm³):** No data available
- Relative density:** 1.362 (77 °F)
- ▼ **Kinematic viscosity:** 0.41 cPs (68 °F)
- Particle characteristics:** Does not apply to liquids.

Phase changes:

Melting point (°F): No data available

Softening point/range (waxes and pastes) (°F):	Does not apply to liquids.
▼ Boiling point (°F):	102.2
▼ Boiling point (°C):	39
▼ Vapour pressure:	368 mmHg
Relative vapour density:	No data available
Decomposition temperature (°F):	No data available

Data on fire and explosion hazards:

▼ Flash point (°F):	No flash point
Flammability (°F):	No data available
Auto-ignition temperature (°F):	No data available
Explosion limits (% v/v):	4.9 - 13.5

Solubility:

Solubility in water:	No data available
n-octanol/water coefficient (LogKow):	No data available
Solubility in fat (g/L):	No data available

9.2. Other information:

▼ Thermal stability:	Stable under normal conditions. Forms an azeotrope and will not flash.
Evaporation rate (n-butylacetate = 100):	No data available
▼ VOC (g/L):	587
Other physical and chemical parameters:	No data available.
Surface tension (mN/m):	0.0141
Oxidizing properties:	No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions:

None known.

10.4. ▼ Conditions to avoid:

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure. Avoid flames and other heat sources. Will decompose when exposed to extreme elevated temperatures.

10.5. ▼ Incompatible materials:

Polystyrene
Polyphenylene Oxide (PPO)
Polycarbonate ABS
Epichlorohydrin

Silicone
 Natural Rubber
 Acrylic
 Strong acids, strong bases, and strong oxidizing agents.

10.6. Hazardous decomposition products:

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

▼ Acute toxicity:

Product/substance: cis-dichloroethylene
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: 1235 mg/kg

Product/substance: cis-dichloroethylene
 Species: Mouse
 Route of exposure: Oral
 Test: LD50
 Result: 2122 mg/kg

Product/substance: cis-dichloroethylene
 Species: Rat
 Route of exposure: Inhalation
 Test: LC50
 Result: 24100 ppm

Product/substance: cis-dichloroethylene
 Species: Rabbit
 Route of exposure: Dermal
 Test: LD50
 Result: >5000 mg/kg

Product/substance: Proprietary Fluorinated Compound
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: >2000 mg/kg

Product/substance: Proprietary Fluorinated Compound
 Species: Rat
 Route of exposure: Inhalation
 Result: >24.8 mg/L

Product/substance: Proprietary Fluorinated Compound
 Species: Rat
 Route of exposure: Dermal
 Result: >2000 mg/kg

Harmful if swallowed.
 Harmful if inhaled.

▼ Skin corrosion/irritation:

Product/substance: cis-dichloroethylene
 Species: Rabbit
 Result: Adverse effect observed (Irritating)

Product/substance: Proprietary Fluorinated Compound
 Species: Rabbit

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

Result: No adverse effect observed (Not irritating)

Causes skin irritation.

▼ Serious eye damage/irritation:

Product/substance cis-dichloroethylene
Species: Rabbit
Result: Adverse effect observed (Irritating)

Product/substance Proprietary Fluorinated Compound
Species: Rabbit
Result: Adverse effect observed (Slightly irritating)

Respiratory sensitisation:

Based on available data, the classification criteria are not met.

▼ Skin sensitisation:

Product/substance Proprietary Fluorinated Compound
Species: Rat
Result: No adverse effect observed (not sensitising)

▼ Germ cell mutagenicity:

Product/substance cis-dichloroethylene
Conclusion: Not Classified

Product/substance Proprietary Fluorinated Compound
Test method: OECD 471
Conclusion: No adverse effect observed

▼ Carcinogenicity:

Product/substance cis-dichloroethylene
Conclusion: Not Classified

Product/substance Proprietary Fluorinated Compound
Conclusion: Not Classified

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause drowsiness or dizziness.

▼ STOT-repeated exposure:

Product/substance Proprietary Fluorinated Compound
Route of exposure: Oral
Duration: 28 days
Test: NOAEL
Result: 1000 ppm

Product/substance Proprietary Fluorinated Compound
Species: Rat
Route of exposure: Inhalation
Duration: 5 days
Result: 1800 ppm
Conclusion: Adverse effect observed

Product/substance Proprietary Fluorinated Compound
Species: Rat
Route of exposure: Inhalation

Duration: 90 days
 Test: NOAEL
 Result: 1000 ppm
 Conclusion: No adverse effect observed

Aspiration hazard:

Based on available data, the classification criteria are not met.

Long term effects:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.
 Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

Other information:

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity:

Product/substance: Proprietary Fluorinated Compound
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: >76 mg/L

Product/substance: Proprietary Fluorinated Compound
 Test method: OECD 209
 Compartment: Activated Sludge Plant
 Result: >100 mg/L

Product/substance: Proprietary Fluorinated Compound
 Species: Algae
 Test: EC50
 Result: 213 mg/L

Product/substance: Proprietary Fluorinated Compound
 Species: Daphnia magna
 Duration: 48 hours
 Result: >94 mg/L

12.2. ▼ Persistence and degradability:

Product/substance: Proprietary Fluorinated Compound
 Conclusion: Not biodegradable
 Test: OECD 301 C

12.3. ▼ Bioaccumulative potential:

Product/substance: Proprietary Fluorinated Compound
 Conclusion: No Data Available
 Test: OECD 301 C

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Other adverse effects:

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

This material can be reclaimed by TMC Industries. Contact TMC for more information.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

cis-dichloroethylene is listed with EPA Hazardous Waste Number: U079

Specific labelling:

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information:

Not dangerous goods according to DOT, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code:

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential portion):

cis-dichloroethylene is listed
Proprietary Fluorinated Compound is listed

Clean Air Act:

None of the components are listed

EPCRA Section 302:

None of the components are listed

EPCRA Section 304:

None of the components are listed

EPCRA section 313:

None of the components are listed

CERCLA:

cis-dichloroethylene is regulated with a Reportable Quantity (RQ) of: 1000 pounds

State regulations:

California / Prop. 65:	None of the components are listed
Massachusetts / Right To Know Act:	cis-dichloroethylene is listed
New Jersey / Right To Know Act:	None of the components are listed
New York / Right To Know Act:	cis-dichloroethylene is listed cis-dichloroethylene is regulated with a Treshold Reporting Quantity (TRQ) of: 10 pounds —
Pennsylvania / Right To Know Act:	cis-dichloroethylene is listed cis-dichloroethylene is hazardous to the environment (E) —

15.4. Restrictions for application:

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

15.5. Demands for specific education:

No specific requirements.

15.6. Additional information:

Not applicable.

15.7. Chemical safety assessment:

No

15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

▼ Full text of H-phrases as mentioned in section 3:

H225, Highly flammable liquid and vapour.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H320, Causes eye irritation

H332, Harmful if inhaled.

H336, May cause drowsiness or dizziness.

The full text of identified uses as mentioned in section 1:

None known.

Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

HNOC = Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OECD = Organisation for Economic Co-operation and Development
OSHA = Occupational Safety and Health Administration
PBT = Persistent, Bioaccumulative and Toxic
RCRA = Resource Conservation and Recovery Act
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SARA = Superfund Amendments and Reauthorization Act
SCL = A specific concentration limit.
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TSCA = The Toxic Substances Control Act
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information:

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

▼ The safety data sheet is validated by:

TMC Industries, Inc. - QC Department

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en