



Revision date: 2/17/2025 Version: 1.0

SAFETY DATA SHEET

TMC-45 Specialty Fluid

SECTION 1: IDENTIFICATION

1.1. Product identifier:

Trade name: TMC-45 Specialty Fluid

Product no.: 4500, 4500-B, 4500-2.2, 4500-10, 4500-50, 4500-550

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the Cleaning Agent, Solvent (for cleaning and degreasing)

substance or mixture: Restricted to professional users.

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet:

Company and address: TMC Industries, Inc.

1423 Mill Lane

Waconia, Minnesota 55387

USA

TF: +1 (800) 772-8179 www.tmcindustries.com

Contact person: Nick Hansen

E-mail: sales@tmcindustries.com

SDS date: 2/17/2025 **SDS Version:** 1.0

1.4. Emergency telephone number:

VeolocityEHS 1-800-255-3924 (Contract#: MIS8157133) within the US, Canada, Puerto Rico and the U.S. Virgin Islands. If outside those areas, call 1-813-248-0585 (Contract#: MIS8157133).

SECTION 2: HAZARD(S) IDENTIFICATION

OSHA/HCS status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture:

Eye Irrit. 2; H319, Causes serious eye irritation.

Acute Tox. 4; H332, Harmful if inhaled.

STOT SE 3; H336, May cause drowsiness or dizziness.

2.2. Label elements:

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Causes serious eye irritation. (H319)

Harmful if inhaled. (H332) Harmful if inhaled. (H332)

May cause drowsiness or dizziness. (H336)

Precautionary statement(s):

General: -



Revision date: 2/17/2025 Version: 1.0

Prevention: Avoid breathing mist/vapour. (P261)

Use only outdoors or in a well-ventilated area. (P271)

Wear face protection/protective gloves/protective clothing. (P280)

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. (P305+P351+P338) Call a POISON CENTER/doctor if you feel unwell. (P312)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage: Store in a well-ventilated place. Keep container tightly closed. (P403+P233)

Disposal: Refer to manufacturer or supplier for information on recovery or recycling. (P502)

Additional labelling: Not applicable.

2.3. Other hazards:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable. This product is a mixture.

3.2. Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
1,2 trans-dichloroethylene	CAS No.: 156-60-5	>75%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H336	
Proprietary Fluorinated Compound #1	CAS No.: Confidential	15-25%	STOT SE 3, H336	
Proprietary Fluorinated Compound #2	CAS No.: Confidential	10-15%	STOT SE 3, H336 In use may form flammable/explosive vapour-air mixture	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

O LI

SECTION 4: FIRST-AID MEASURES

4.1. Description of first aid measures:

General information: If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give

immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms

persist. Never give an unconscious person water or other drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the injured

person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-



Version: 1.0

Revision date: 2/17/2025

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

to-mouth resuscitation. If unconscious, roll the injured person into recovery position.

Call an ambulance.

Skin contact: Upon irritation: rinse with water. In the event of continued irritation, seek medical

assistance.

Eye contact: If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at

least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue

flushing during transport.

Ingestion: If the person is conscious, rinse the mouth with water and stay with the person. Never

give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on

vomited material.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed:

If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Carbon oxides (CO / CO2)

5.3. Advice for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation, especially in confined areas.

Avoid inhalation of vapours from spilled material.

Contaminated areas may be slippery.



Revision date: 2/17/2025 Version: 1.0

6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage Metal Container. **material:** Glass Container

Storage conditions: Keep container closed when not in use.

Store in a cool, dry place out of direct sunlight

Do not freeze.

Store between 0 - 32°C.

Incompatible materials: Polystyrene

Polyphenylene Oxide (PPO)

Polycarbonate ABS Epichlorohydrin

Silicone

Natural Rubber

Acrylic

7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

8.2. Exposure controls:

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in this product. **Appropriate technical** Apply standard precautions during use of the product. Avoid inhalation of vapours.

measures:

Hygiene measures: In between use of the product and at the end of the working day all exposed areas of

the body must be washed thoroughly. Pay special attention to hands, forearms and

face.



Revision date: 2/17/2025 Version: 1.0

Measures to avoid

No specific requirements.

environmental exposure:

Individual protection measures, such as personal protective equipment:

Generally: Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment:

Work situation	Туре	Class	Colour	Standards	
Under normal use conditions.	Positive pressure supplied air respirator.				

Skin protection:

Standards	Type/Category	Recommended
	Use proper protective clothing	1 ' ' '
	Use proper protective clothing	Use proper protective clothing

Hand protection:

Work situation		Glove thickness (mm)	Breakthrough time (min.)	Standards	
Under normal use conditions.	Viton				

Eye protection:

Work situation	Туре	Standards	
Under Normal Use Conditions.	Face shield alternatively safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Physical state: Liquid Color: Colorless Odor: Characteristic Odor threshold (ppm): No data available No data available pH: Density (g/cm³): No data available Relative density: No data available No data available **Kinematic viscosity:** Particle characteristics: No data available

Phase changes:

Melting point/freezing point

No data available

(°F):

Softening point/range (°F): Does not apply to liquids.

Boiling point (°F): 113.9 Boiling point (°C): 45.5

Vapor pressure:No data availableRelative vapor density:No data availableDecomposition temperatureNo data available

(°F):



Revision date: 2/17/2025 Version: 1.0

Data on fire and explosion hazards:

Flash point (°F): No flash point

Flash point (°C): Test method: ASTM 56

Flammability (°F): Not flammable

Auto-ignition temperature (°F): No data available

Explosion limits (% v/v): 9.7 - 12.8

Solubility:

Solubility in water: No data available n-octanol/water coefficient No data available

(LogKow):

Solubility in fat (g/L): No data available

9.2. Other information:

Thermal stability: Stable under normal conditions and recommended use.

Evaporation rate (n- No data available

butylacetate = 100):

VOC (g/L): 1274

Other physical and chemical No data available.

parameters:

Oxidizing properties: Will not oxidize.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies:

None known.

10.4. Conditions to avoid:

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

Sparks, open flames, static discharges.

Avoid flames and other heat sources. Will decompose when exposed to extreme elevated temperatures.

10.5. Incompatible materials:

Steam, oxidizers, caustic soda, caustic potash. Shock sensitive compounds may be formed.

10.6. Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Acute toxicity:

Product/substance 1,2 trans-dichloroethylene

Species: Rat
Route of exposure: Oral
Test: LD50
Result: 1235 mg/kg



Revision date: 2/17/2025 Version: 1.0

Product/substance 1,2 trans-dichloroethylene

Species: Mouse
Route of exposure: Oral
Test: LD50
Result: 2122 mg/kg

Product/substance 1,2 trans-dichloroethylene

Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: 24100 ppm

Product/substance 1,2 trans-dichloroethylene

Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: >5000 mg/kg

Harmful if inhaled. Harmful if inhaled.

Skin corrosion/irritation:

Product/substance 1,2 trans-dichloroethylene

Species: Rabbit

Result: Adverse effect observed (Irritating)

Serious eye damage/irritation:

Product/substance 1,2 trans-dichloroethylene

Species: Rabbit

Result: Adverse effect observed (Irritating)

Causes serious eye irritation.

Respiratory sensitisation:

Based on available data, the classification criteria are not met.

Skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Product/substance 1,2 trans-dichloroethylene

Conclusion: Not Classified

Carcinogenicity:

Product/substance 1,2 trans-dichloroethylene

Conclusion: Not Classified

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause drowsiness or dizziness.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.



Revision date: 2/17/2025 Version: 1.0

Long term effects:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

Other information:

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:

No data available.

12.2. Persistence and degradability:

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential:

Based on available data, the classification criteria are not met.

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

This material can be reclaimed by the manufacturer if required or disposed of at an approved facility according to local regulations.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

1,2 trans-dichloroethylene is listed with EPA Hazardous Waste Number: U079

Specific labelling:

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name			Env**	Other informatio n:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group



Revision date: 2/17/2025 Version: 1.0

Additional information:

Not dangerous goods according to DOT, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Transport in bulk according to IMO instruments:

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential

1,2 trans-dichloroethylene is listed

portion):

Clean Air Act:

None of the components are listed

PCRA Section 302:

None of the components are listed

CERCLA: 1,2 trans-dichloroethylene is regulated with a Reportable Quantity (RQ) of: 1000

pounds

Hazardous chemical inventory

reporting:

This product is subject to Tier II reporting.

State regulations:

California / Prop. 65: None of the components are listed Massachusetts / Right To Know 1,2 trans-dichloroethylene is listed

Act:

New Jersey / Right To Know Act: None of the components are listed **New York / Right To Know Act:** 1,2 trans-dichloroethylene is listed

1,2 trans-dichloroethylene is regulated with a Treshold Reporting Quantity (TRQ) of: 10

pounds

Pennsylvania / Right To Know

1,2 trans-dichloroethylene is listed

Act: 1,2 trans-dichloroethylene is hazardous to the environment (E)

NFPA:

Health hazard: 2 Fire hazard: 1 Instability hazard: 0 Specific hazard: None

15.4. Restrictions for application:

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

15.5. Demands for specific education:

No specific requirements.

TMC-45 Specialty Fluid www.tmcindustries.com TMC Industries, Inc.

^{**} Environmental hazards



Revision date: 2/17/2025 Version: 1.0

15.6. Additional information:

Not applicable.

15.7. Chemical safety assessment:

No

15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3:

H225, Highly flammable liquid and vapour.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H336, May cause drowsiness or dizziness.

In use may form flammable/explosive vapour-air mixture, In use may form flammable/explosive vapour-air mixture.

The full text of identified uses as mentioned in section 1:

None known.

Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organisation for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act



Revision date: 2/17/2025 Version: 1.0

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information:

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

The safety data sheet is validated by:

TMC Industries - QC Department

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en