

SAFETY DATA SHEET

TMC-56 Engineered Fluid

SECTION 1: IDENTIFICATION

1.1. Product identifier:

Trade name: TMC-56 Engineered Fluid
▼ Product no.: 38000, 38000-B, 38000-2.2, 38000-11, 38000-60, 38000-550

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the substance or mixture: Heat Transfer, Solvent (for cleaning and degreasing)
Restricted to professional users.

Uses advised against : Industrial purposes

1.3. Details of the supplier of the safety data sheet:

Company and address: **TMC Industries, Inc.**
1423 Mill Lane
Waconia, Minnesota 55387
USA
TF: +1 (800) 772-8179
www.tmcindustries.com

Contact person: Nick Hansen
E-mail: sales@tmcindustries.com

SDS date: 12/3/2024

SDS Version: 4.0

Date of previous version: 11/19/2024 (3.0)

1.4. ▼ Emergency telephone number:

(800) 424-9300 - CHEMTREC 24-HR Emergency USA, Canada, Puerto Rico, US Virgin Islands.

SECTION 2: HAZARD(S) IDENTIFICATION

OSHA/HCS status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture:

Skin Irrit. 2; H315, Causes skin irritation.
Eye Irrit. 2B; H320, Causes eye irritation
STOT SE 3; H336, May cause drowsiness or dizziness.

2.2. Label elements:

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Causes skin irritation. (H315)
Causes eye irritation (H320)
May cause drowsiness or dizziness. (H336)

Precautionary statement(s):

General: Keep out of reach of children. (P102)
Read label before use. (P103)

Prevention:	Avoid breathing mist/vapour. (P261) Wash hands and exposed skin thoroughly after handling. (P264) Wear eye protection/protective gloves/protective clothing. (P280) Do not handle until all safety precautions have been read and understood. (P202) Do not spray on an open flame or other ignition source. (P211) Keep container tightly closed. (P233) Keep only in original packaging. (P234) Do not breathe vapour/mist. (P260) Do not get in eyes, on skin, or on clothing. (P262) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)
Response:	Call a POISON CENTER/doctor if you feel unwell. (P312) If eye irritation persists: Get medical advice/attention. (P337+P313)
Storage:	Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
Disposal:	Refer to the manufacturer/supplier for information on disposal/ recovery/ recycling. (P503)
Hazards not otherwise classified (HNOC):	Causes eye irritation Causes mild skin irritation May be harmful if inhaled
Additional labelling:	Not applicable.

2.3. Other hazards:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Product/substance	Identifiers	% w/w	Classification	Note
Proprietary Fluorinated Compound	CAS No.: Confidential	>99%	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H336	

3.2. Mixtures:

Not applicable. This product is a substance.

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

-

SECTION 4: FIRST-AID MEASURES

4.1. Description of first aid measures:

General information:	If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed:

If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Avoid inhalation of vapours from spilled material.
Contaminated areas may be slippery.

6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage Metal Container.

- material:** Glass Container
- Storage conditions:** Keep container tightly closed
Dry, cool and well ventilated
Protect from sunlight.
Store at normal room temperature away from extreme heat
- Incompatible materials:** Strong oxidizing agents
Strong alkaline substance

7.3. Specific end use(s):
This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:
No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

8.2. Exposure controls:
Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the product. Avoid inhalation of vapours.


Hygiene measures: Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure: No specific requirements.


Individual protection measures, such as personal protective equipment:

Generally: Use only protective equipment with a recognized certification mark, e.g. the UL mark.



Respiratory Equipment:

Work situation	Type	Class	Colour	Standards	
if the situation requires.	Positive pressure supplied air respirator.				



Skin protection:

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

Hand protection:

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
In the event of prolonged exposure or high concentrations	Viton				
When there is risk of splash- / intermittent exposure	Nitrite gloves				

Eye protection:

Type	Standards	
Safety glasses	EN166	
Face shield	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Physical state:	Liquid
Color:	Colourless
Odor:	No data available
Odor threshold (ppm):	No data available
pH:	No data available
Density (g/cm³):	No data available
Relative density:	1.47
Kinematic viscosity:	0.65 cPs
Particle characteristics:	No data available
Phase changes:	
Melting point/freezing point (°F):	No data available
Softening point/range (°F):	Does not apply to liquids.
Boiling point (°F):	134
Boiling point (°C):	56.2
Vapor pressure:	31 kPa (25 °C)
Relative vapor density:	No data available
Decomposition temperature (°F):	No data available

Data on fire and explosion hazards:

Flash point (°F):	None ASTM 56
Flammability (°F):	Not flammable
Auto-ignition temperature (°F):	No data available
Explosion limits (% v/v):	None

Solubility:

Solubility in water:	No data available
n-octanol/water coefficient (LogKow):	No data available
Solubility in fat (g/L):	No data available

9.2. Other information:

Thermal stability:	Stable under normal temperature and recommended use.
---------------------------	--

Evaporation rate (n-butylacetate = 100): No data available

Other physical and chemical parameters: No data available.

Oxidizing properties: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies:

None known.

10.4. Conditions to avoid:

If the product is exposed to extreme condition of heat from misuse or equipment failure, toxic decomposition products that include Hydrogen Fluoride (HF) and Perfluoroisobutylene can occur at temperatures greater than 200°C.

10.5. Incompatible materials:

Strong oxidizing agents
Strong alkaline substance

10.6. Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

Acute toxicity:

Product/substance	TMC-56 Engineered Fluid
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	TMC-56 Engineered Fluid
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	>24.8 mg/L

Product/substance	TMC-56 Engineered Fluid
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2,000 mg/kg

Product/substance	Proprietary Fluorinated Compound
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Proprietary Fluorinated Compound
Species:	Rat
Route of exposure:	Inhalation
Result:	>24.8 mg/L

Product/substance	Proprietary Fluorinated Compound
Species:	Rat
Route of exposure:	Dermal
Result:	>2000 mg/kg

Skin corrosion/irritation:

Product/substance TMC-56 Engineered Fluid
Species: Rabbit
Result: No adverse effect observed (Not irritating)

Product/substance Proprietary Fluorinated Compound
Species: Rabbit
Result: No adverse effect observed (Not irritating)

Causes skin irritation.

Serious eye damage/irritation:

Product/substance TMC-56 Engineered Fluid
Species: Rabbit
Result: Adverse effect observed (Slightly irritating)

Product/substance Proprietary Fluorinated Compound
Species: Rabbit
Result: Adverse effect observed (Slightly irritating)

Respiratory sensitisation:

Product/substance TMC-56 Engineered Fluid
Result: For the component(s), either no data are available or the data are not sufficient for the classification.

Skin sensitisation:

Product/substance TMC-56 Engineered Fluid
Species: Rat
Result: No adverse effect observed (not sensitising)

Product/substance Proprietary Fluorinated Compound
Species: Rat
Result: No adverse effect observed (not sensitising)

Germ cell mutagenicity:

Product/substance TMC-56 Engineered Fluid
Conclusion: No data available or the data not sufficient for classification.

Product/substance Proprietary Fluorinated Compound
Test method: OECD 471
Conclusion: No adverse effect observed

Carcinogenicity:

Product/substance TMC-56 Engineered Fluid
Conclusion: Not Classified

Product/substance Proprietary Fluorinated Compound
Conclusion: Not Classified

Reproductive toxicity:

Product/substance TMC-56 Engineered Fluid
Conclusion: No data available or the data not sufficient for classification.

STOT-single exposure:

Product/substance TMC-56 Engineered Fluid
Conclusion: No data available or the data not sufficient for classification.

May cause drowsiness or dizziness.

STOT-repeated exposure:

Product/substance TMC-56 Engineered Fluid
Route of exposure: Oral
Duration: 28 days
Test: NOAEL
Result: 1000 ppm

Product/substance TMC-56 Engineered Fluid

Species: Rat
Route of exposure: Inhalation
Duration: 5 days
Test: NOAEL
Result: 1800 ppm
Conclusion: Adverse effect observed

Product/substance: TMC-56 Engineered Fluid
Species: Rat
Route of exposure: Inhalation
Duration: 90 days
Result: 1000 ppm
Conclusion: No adverse effect observed

Product/substance: Proprietary Fluorinated Compound
Route of exposure: Oral
Duration: 28 days
Test: NOAEL
Result: 1000 ppm

Product/substance: Proprietary Fluorinated Compound
Species: Rat
Route of exposure: Inhalation
Duration: 5 days
Result: 1800 ppm
Conclusion: Adverse effect observed

Product/substance: Proprietary Fluorinated Compound
Species: Rat
Route of exposure: Inhalation
Duration: 90 days
Test: NOAEL
Result: 1000 ppm
Conclusion: No adverse effect observed

Aspiration hazard:

Product/substance: TMC-56 Engineered Fluid
Conclusion: No data available or the data is not sufficient for classification.

Long term effects:

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Other information:

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:

Product/substance: TMC-56 Engineered Fluid
Species: Fish, Carp
Duration: 96 hours
Test: LC50
Result: >76 mg/L

Product/substance: TMC-56 Engineered Fluid
Species: Daphnia magna
Duration: 48 hours
Test: EC50
Result: >94 mg/L

Product/substance: Proprietary Fluorinated Compound
Species: Fish
Duration: 96 hours
Test: LC50
Result: >76 mg/L

Product/substance: Proprietary Fluorinated Compound
Test method: OECD 209

Compartment: Activated Sludge Plant
Result: >100 mg/L

Product/substance: Proprietary Fluorinated Compound
Species: Algae
Test: EC50
Result: 213 mg/L

Product/substance: Proprietary Fluorinated Compound
Species: Daphnia magna
Duration: 48 hours
Result: >94 mg/L

12.2. Persistence and degradability:

Product/substance: TMC-56 Engineered Fluid
Conclusion: Not biodegradable
Test: OECD 301 C

Product/substance: TMC-56 Engineered Fluid
Compartment: Activated Sludge Plant
Result: >100 mg/L
Conclusion: Not biodegradable

Product/substance: Proprietary Fluorinated Compound
Conclusion: Not biodegradable
Test: OECD 301 C

12.3. Bioaccumulative potential:

Product/substance: TMC-56 Engineered Fluid
Conclusion: No Data Available

Product/substance: Proprietary Fluorinated Compound
Conclusion: No Data Available
Test: OECD 301 C

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

This material can be reclaimed by TMC Industries. Contact TMC for more information.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

None of the components are listed

Specific labelling:

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information:

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Transport in bulk according to IMO instruments:

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential portion): Proprietary Fluorinated Compound is listed

Clean Air Act: None of the components are listed

EPCRA Section 302: None of the components are listed

EPCRA Section 304: None of the components are listed

EPCRA section 313: None of the components are listed

CERCLA: None of the components are listed

Hazardous chemical inventory reporting: This product is subject to Tier II reporting.

State regulations:

California / Prop. 65: None of the components are listed

Massachusetts / Right To Know Act: None of the components are listed

New Jersey / Right To Know Act: None of the components are listed

New York / Right To Know Act: None of the components are listed

Pennsylvania / Right To Know Act: None of the components are listed

15.4. Restrictions for application:

Restricted to professional users.

15.5. Demands for specific education:

No specific requirements.

15.6. Additional information:

Not applicable.

15.7. Chemical safety assessment:

No

15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3:

H315, Causes skin irritation.
H320, Causes eye irritation
H336, May cause drowsiness or dizziness.

The full text of identified uses as mentioned in section 1:

None known.

Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CERCLA = Comprehensive Environmental Response Compensation and Liability Act
DOT = Department of Transportation
EINECS = European Inventory of Existing Commercial chemical Substances
EPCRA = Emergency Planning and Community Right-To-Know Act
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HCIS = Hazardous Chemical Information System
HNOC = Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
("Marpol" = marine pollution)
NFPA = National Fire Protection Association
NIOSH = National Institute for Occupational Safety and Health
OECD = Organisation for Economic Co-operation and Development
OSHA = Occupational Safety and Health Administration
PBT = Persistent, Bioaccumulative and Toxic
RCRA = Resource Conservation and Recovery Act
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SARA = Superfund Amendments and Reauthorization Act
SCL = A specific concentration limit.
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TSCA = The Toxic Substances Control Act
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information:

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

The safety data sheet is validated by:

TMC Industries, Inc. - QC Department

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en