Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

SAFETY DATA SHEET TMC-7100 Engineered Fluid

SECTION 1: IDENTIFICATION

1.1. Product identifier:

Trade name: TMC-7100 Engineered Fluid
Other names / Synonyms: Methyl Perfluoroisobutyl Ether
Methyl Perfluorobutyl Ether

Product no.: 7100, 7100-B, 7100-2.2, 7100-12, 7100-44, 7100-550

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses of the Electronic Cleaner, Heat Transfer, Solvent (for cleaning and degreasing)

substance or mixture:Restricted to professional users.Uses advised against :Not Intended for food contact use.

Not Intended for Use as Medical Device or Drug.

1.3. Details of the supplier of the safety data sheet:

Company and address: TMC Industries, Inc.

1423 Mill Lane

Waconia, Minnesota 55387

USA

TF: +1 (800) 772-8179 www.tmcindustries.com

Contact person: Nick Hansen

E-mail: sales@tmcindustries.com

SDS date: 10/1/2025 **SDS Version:** 3.0

Date of previous version: 1/9/2025 (2.0)

1.4. ▼ Emergency telephone number:

VeolocityEHS 1-800-255-3924 within the US, Canada, Puerto Rico and the U.S. Virgin Islands. If outside those areas, call 1-813-248-0585 (Contract#: MIS8157133).

SECTION 2: HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture:

Not classified according to HCS (29 CFR 1910.1200)

2.2. Label elements:

Hazard pictogram(s): Not applicable. Signal word: Not applicable.

Hazard statement(s):

Precautionary statement(s):

▼ General:Not applicable.▼ Prevention:Not applicable.▼ Response:Not applicable.▼ Storage:Not applicable.

Disposal: Refer to manufacturer or supplier for information on recovery or recycling. (P502)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable. This product is a mixture.

3.2. ▼ Mixtures:

Product/substance	Identifiers	% w/w	Classification	Note
Methyl Perfluoroisobutyl Ether	CAS No.: 163702-08-7	55-90%		
Methyl Perfluorobutyl Ether	CAS No.: 163702-07-6	10-45%		

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information:

-

SECTION 4: FIRST-AID MEASURES

4.1. ▼ Description of first aid measures:

General information: If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give

immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms

persist. Never give an unconscious person water or other drink.

▼Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the person into

fresh air and stay with him/her.

▼ **Skin contact:** Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin

thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or

thinners.

▼ Eye contact: If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove

contact lenses. Seek medical assistance and continue flushing during transport.

▼Ingestion: If the person is conscious, rinse the mouth with water and stay with the person. Never

give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on

vomited material.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed:

None known.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Information to medics:

Bring this safety data sheet or the label from this product.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture:

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters:

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Contaminated areas may be slippery.

6.2. Environmental precautions:

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections:

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling:

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities:

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

Keep only in original packaging.

material:

Storage conditions: Keep container tightly closed

Incompatible materials: Strong acids

Bases

Strong oxidizing agents

7.3. Specific end use(s):

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

8.2. ▼ Exposure controls:

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in this product. **Appropriate technical** Apply standard precautions during use of the product. Avoid inhalation of vapours.

measures:

▼ Hygiene measures: In between use of the product and at the end of the working day all exposed areas of the

body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid No specific requirements.

environmental exposure:

Individual protection measures, such as personal protective equipment:

Generally: Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment:

Туре	Class	Colour	Standards	
No specific requirements				

Skin protection:

Recommended	Type/Category	Standards	
No specific	-	-	
requirements.			

Hand protection:

Work situation		Breakthrough time (min.)	Standards	
	Chemical Resistant gloves			

Eye protection:

Туре	Standards	
No specific	-	
requirements		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

No data available

Physical state:

Color:
Colourless
Odor:
Slight Ether Odor
Odor threshold (ppm):
No data available
pH:
Not applicable
Density (g/cm³):
1.5 (77 °F)
Kinematic viscosity:
0.6 cPs (77 °F)

Phase changes:

Particle characteristics:

Melting point/freezing point -211

(°F):



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Revision date: 10/1/2025 Version: 3.0

Melting point/freezing point

(°C):

Softening point/range (°F): Does not apply to liquids.

Boiling point (°F): 142 Boiling point (°C): 61

Vapor pressure: 202 mmHg (77 °F) Relative vapor density: 8.6(Reference: Air = 1) Not applicable

Decomposition temperature

(°F):

Data on fire and explosion hazards:

Flash point (°F): No flash point Flammability (°F): Not flammable

Auto-ignition temperature

(°F):

Auto-ignition temperature 405

(°C):

Explosion limits (% v/v): No data available

Solubility:

Solubility in water: <12 ppm

n-octanol/water coefficient

(LogKow):

Solubility in fat (g/L): Not applicable

9.2. Other information:

Thermal stability: Stable under normal conditions.

Evaporation rate (n-No data available

butylacetate = 100):

Other physical and chemical

parameters:

No data available.

No data available

Surface tension (mN/m): 13.6

Molecular Weight (g/mol):

Oxidizing properties: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

No data available.

10.2. Chemical stability:

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies:

None known.

10.4. Conditions to avoid:

None known.

10.5. Incompatible materials:

Strong acids

Bases

Strong oxidizing agents



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

10.6. ▼ Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects:

▼ Acute toxicity:

Product/substance Methyl Perfluoroisobutyl Ether

Route of exposure: Dermal
Test: LD50
Result: >5000 mg/kg

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat
Route of exposure: Inhalation
Test: LC50 (4 hours)
Result: 1000 mg/L

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat
Route of exposure: Oral
Test: LD50
Result: >5000 mg/kg

Product/substance Methyl Perfluorobutyl Ether

Route of exposure: Dermal
Test: LD50
Result: >5000 mg/kg

Product/substance Methyl Perfluorobutyl Ether

Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: 1000 mg/L

Product/substance Methyl Perfluorobutyl Ether

Species: Rat
Route of exposure: Oral
Test: LD50
Result: >5000 mg/L

Based on available data for the mixture, the classification criteria are not met.

▼ Skin corrosion/irritation:

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rabbit

Result: No adverse effect observed (Not irritating)

Product/substance Methyl Perfluorobutyl Ether

Species: Rabbit

Result: No adverse effect observed (Not irritating)

Based on available data for the mixture, the classification criteria are not met.

▼ Serious eye damage/irritation:

Product/substance Methyl Perfluoroisobutyl Ether



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Species: Rabbit

Result: No adverse effect observed (Not irritating)

Product/substance Methyl Perfluorobutyl Ether

Species: Rabbit

Result: No adverse effect observed (Not irritating)

Based on available data for the mixture, the classification criteria are not met.

▼ Respiratory sensitisation:

Product/substance Methyl Perfluorobutyl Ether

Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Based on available data for the mixture, the classification criteria are not met.

▼ Skin sensitisation:

Product/substance Methyl Perfluoroisobutyl Ether

Species: Guinea pig

Result: No adverse effect observed (not sensitising)

Product/substance Methyl Perfluorobutyl Ether

Species: Guinea pig

Result: For the components(s), either no data are available or the data are not sufficient for the classification.

Based on available data for the mixture, the classification criteria are not met.

▼ Germ cell mutagenicity:

Product/substance Methyl Perfluoroisobutyl Ether Conclusion: No adverse effect observed

Product/substance Methyl Perfluorobutyl Ether Conclusion: No adverse effect observed

Based on available data for the mixture, the classification criteria are not met.

▼ Carcinogenicity:

Based on available data for the mixture, the classification criteria are not met.

▼ Reproductive toxicity:

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat, female
Duration: 1 generation
Test: NOAEL
Result: 129 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluoroisobutyl Ether

Species:Rat, maleDuration:1 generationTest:NOAELResult:129 mg/LConclusion:Not Classified

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat

Duration: During gestation

Test: NOAEL Result: 307 mg/L



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat, female
Duration: 1 generation
Test: NOAEL
Result: 129 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat, male
Duration: 1 generation
Test: NOAEL
Result: 129 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat

Duration: During gestation

Test: NOAEL
Result: 307 mg/L
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ STOT-single exposure:

Product/substance Methyl Perfluoroisobutyl Ether

Species: Dog Route of exposure: Inhalation

Target organ: Central nervous system

Duration: 10 minutes
Test: LOAEL
Result: 913 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluoroisobutyl Ether

Species: Dog Route of exposure: Inhalation

Target organ: Cardiac sensitization

Duration: 10 minutes
Test: NOAEL
Result: 913 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Dog Route of exposure: Inhalation

Target organ: Central nervous system

Duration: 10 minutes
Test: LOAEL
Result: 913 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Dog Route of exposure: Inhalation

Target organ: Cardiac sensitization



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Duration: 10 minutes
Test: NOAEL
Result: 913 mg/L
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ STOT-repeated exposure:

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat
Route of exposure: Inhalation
Target organ: Liver
Duration: 13 weeks
Test: NOAEL
Result: 155 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat Route of exposure: Inhalation

Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder

Duration: 13 weeks
Test: NOAEL
Result: 155 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluoroisobutyl Ether

Species: Rat Route of exposure: Oral

Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder

Duration: 28 days
Test: NOAEL
Result: 1000 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat

Route of exposure: Inhalation
Target organ: Liver
Duration: 13 weeks
Test: NOAEL
Result: 155 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat

Route of exposure: Inhalation

Target organ: Endocrine system, bone, teeth, nails/hair, hematopoietic system, heart, immune system, nervous system

Duration: 11 weeks
Test: NOAEL
Result: 129 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat Route of exposure: Inhalation

Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder

Duration: 13 weeks



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Test: NOAEL
Result: 155 mg/L
Conclusion: Not Classified

Product/substance Methyl Perfluorobutyl Ether

Species: Rat Route of exposure: Oral

Target organ: Endocrine system, liver, heart, hematopoietic system, immune system, nervous system, kidney/bladder

Duration: 28 days
Test: NOAEL
Result: 1000 mg/L
Conclusion: Not Classified

Based on available data for the mixture, the classification criteria are not met.

▼ Aspiration hazard:

Product/substance Methyl Perfluorobutyl Ether

Conclusion: No data available or the data is not sufficient for classification.

Based on available data for the mixture, the classification criteria are not met.

Long term effects:

None known.

Other information:

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. **▼** Toxicity:

Based on available data for the mixture, the classification criteria are not met.

12.2. ▼ Persistence and degradability:

Based on available data for the mixture, the classification criteria are not met.

12.3. ▼ Bioaccumulative potential:

Based on available data for the mixture, the classification criteria are not met.

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods:

This material can be reclaimed by the manufacturer if required or disposed of at an approved facility according to local regulations.

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261):

None of the components are listed

Specific labelling:



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Revision date: 10/1/2025 Version: 3.0

Contaminated packing:

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

					Env**	Other informatio n:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information:

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user:

Not applicable.

14.7. Transport in bulk according to IMO instruments:

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. U.S. Federal regulations:

TSCA (the non-confidential portion):

Clean Air Act:

EPCRA Section 302:

Methyl Perfluorobutyl Ether is listed Methyl Perfluorobutyl Ether is listed None of the components are listed None of the components are listed None of the components are listed EPCRA section 304:

EPCRA section 313:

None of the components are listed None of the components are listed None of the components are listed

Hazardous chemical inventory This product is not subject to Tier II reporting.

reporting:

State regulations:

California / Prop. 65: None of the components are listed Massachusetts / Right To Know None of the components are listed

Act:

New Jersey / Right To Know None of the components are listed

Act:

New York / Right To Know Act: None of the components are listed **Pennsylvania / Right To Know** None of the components are listed

Act:

NFPA:

Health hazard: 3 Fire hazard: 1

^{**} Environmental hazards



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

Instability hazard: 0 Specific hazard: None

15.4. Restrictions for application:

Restricted to professional users.

15.5. Demands for specific education:

No specific requirements.

15.6. Additional information:

Not applicable.

15.7. Chemical safety assessment:

No

15.8. Sources:

OSHA Hazard Communication Standard (29 CFR 1910.1200)

SECTION 16: OTHER INFORMATION

The full text of identified uses as mentioned in section 1:

None known.

Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response Compensation and Liability Act

DOT = Department of Transportation

EINECS = European Inventory of Existing Commercial chemical Substances

EPCRA = Emergency Planning and Community Right-To-Know Act

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HCIS = Hazardous Chemical Information System

HNOC = Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

NFPA = National Fire Protection Association

NIOSH = National Institute for Occupational Safety and Health

OECD = Organisation for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

PBT = Persistent, Bioaccumulative and Toxic

RCRA = Resource Conservation and Recovery Act

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SARA = Superfund Amendments and Reauthorization Act

SCL = A specific concentration limit.

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information:

Not applicable.

The safety data sheet is validated by:

TMC Industries - QC Department

Other:

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en