

Versio 11.7	on	Revision Date: 04/14/2023		OS Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017		
SECT	ION 1.	IDENTIFICATION					
F	Product name		:	Vertrel™ MCA PI	us specialty fluid		
F	Product	t code	:	D10579110			
S	SDS-Identcode		:	13000000716			
N	/lanufa	acturer or supplier's	deta	ails			
C	Company name of supplier		:	The Chemours C	ompany FC, LLC		
Д	Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)			
Т	elepho	one	:	1-844-773-CHEM (outside the U.S. 1-302-773-1000)			
E	Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-30 773-2000) ; Transport emergency: +1-800-424-9300 (outs the U.S. +1-703-527-3887)			
F	Recom	mended use of the c	hen	nical and restriction	ons on use		
F	Recom	mended use	:	Cleaning agent			
F	Restrict	tions on use	:	For professional a	and industrial installation and use only.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accort 1910.1200)	dar	nce with the OSHA Hazard Communication Standard (29 CFR
Eye irritation	:	Category 2B
Specific target organ toxicity - single exposure	:	Category 3
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H320 Causes eye irritation. H336 May cause drowsiness or dizziness.
Precautionary Statements	:	Prevention: P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.



Version 11.7	Revision Date: 04/14/2023	SDS Number: 1327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017				
		P271 Use only	outdoors or in a well-ventilated area.				
	Response:						
		and keep comfo unwell. P305 + P351 + for several minu to do. Continue	 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. 				
		Storage:					
		P405 Store lock	ked up.				
		Disposal:					
		P501 Dispose of contents and container to an approved w disposal plant.					
Othe	er hazards						
Vapo Misu ac ef	In use, may form flammable/explosive vapor-air mixture. Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardi- ac effects. Rapid evaporation of the product may cause frostbite.						

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,1,1,2,2,3,4,5,5,5-	138495-42-8	>= 50 - < 70
Decafluoropentane		
Trans-Dichloroethylene	156-60-5	>= 30 - < 50
Cyclopentane	287-92-3	>= 1 - < 5
Pentane	109-66-0	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.



Vertrel[™] MCA Plus specialty fluid

Version 11.7	Revision Date: 04/14/2023		OS Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017	
In ca	In case of eye contact If swallowed		for at least 15 mir	ove contact lens, if worn.	
lf swa			: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
	important symptoms effects, both acute and red	:	Dermatitis Discomfort Pain Redness Rash Itching Swelling of tissue Eye damage Eye contact may Irritation Pain tearing Swelling of tissue Redness Impairment of vis Discomfort Inhalation may pre Eye damage Effects of breathin Tiredness Drowsiness central nervous s Convulsions Adverse effects fin central nervous s Ingestion may pre Lack of coordinate narcosis Eye damage Aspiration may car Causes eye irritate	provoke the following symptoms: provoke the following symptoms ion ovoke the following symptoms: ng high concentrations of vapor may include: ystem effects rom repeated inhalation may include ystem effects pooke the following symptoms: ion	
Prote	ection of first-aiders	:	and use the recor	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).	
Notes	s to physician	:	techolamine drug	ble disturbances of cardiac rhythm, ca- s, such as epinephrine, that may be used in rgency life support should be used with spe-	

SECTION 5. FIRE-FIGHTING MEASURES



Vertrel[™] MCA Plus specialty fluid

Ver 11.7	sion 7	Revision Date: 04/14/2023		9S Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
	Suitable extinguishing media		:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		:	None known.	
	Specific fighting	c hazards during fire	:		explosive mixtures with air. Soustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Hydrogen fluoride carbonyl fluoride Carbon oxides Chlorine compour	
	Specifie ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		protective equipment fighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate contain- ment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dispo- sal of this material, as well as those materials and items em- ployed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



Vertrel[™] MCA Plus specialty fluid

Version 11.7	Revision Date: 04/14/2023		OS Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
SECTIO	N 7. HANDLING AND ST	OR	AGE	
Tec	hnical measures	:		g measures under EXPOSURE RSONAL PROTECTION section.
Loc	al/Total ventilation	:	ventilation. If advised by as	lation is unavailable, use with local exhaust sessment of the local exposure potential, use equipped with explosion-proof exhaust ventila-
Adv	rice on safe handling	:	Handle in accord practice, based sessment Keep away from Take precaution	mist or vapors.
Cor	nditions for safe storage	:	46°C (115°F) to drums. Material should shipping contain drum pump is re shipping contain containers when the exposure. Keep in properly Store locked up Keep in a cool, w	Arums to direct heat or temperature above avoid pressurizing and possibly distorting the not be dispensed by pouring from pail/drum pers containing 5 gallons or more. The use of a commended for dispensing from pail/drum pers with 5 gallons or more, except for smaller e adequate ventilation can be used to manage v labeled containers.
Mat	erials to avoid	:	No special restri	ctions on storage with other products.
	commended storage tem- ature	:	< 115 °F / < 46 °	°C
	ther information on stor- stability	:	The product has	an indefinite shelf life when stored properly.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
1,1,1,2,2,3,4,5,5,5-	138495-42-8	TWA	225 ppm	WEEL



	1327511-000	048 Date of	f first issue: 02/27/201	7
Decafluoropentane	I	I	2,320 mg/m ³	I
Decandoropentarie		STEL	700 ppm	WEEL
		0.22	7,217 mg/m ³	
Trans-Dichloroethylene	156-60-5	TWA	200 ppm	ACGIH
Cyclopentane	287-92-3	TWA	1,000 ppm	ACGIH
		TWA	600 ppm 1,720 mg/m ³	NIOSH R
Pentane	109-66-0	С	610 ppm 1,800 mg/m ³	NIOSH R
		TWA	120 ppm 350 mg/m ³	NIOSH R
		TWA	1,000 ppm 2,950 mg/m ³	OSHA Z-
		TWA	1,000 ppm	ACGIH
Engineering measures	If sufficien ventilation If advised	nt ventilation is u n. I by assessment	sure concentrations. navailable, use with lo of the local exposure with explosion-proof e	potential, use
Personal protective equi	ipment			
Respiratory protection	 General and local exhaust ventilation is recommended maintain vapor exposures below recommended limits. concentrations are above recommended limits or are unknown, appropriate respiratory protection should be Follow OSHA respirator regulations (29 CFR 1910.13- use NIOSH/MSHA approved respirators. Protection pu by air purifying respirators against exposure to any ha dous chemical is limited. Use a positive pressure air s respirator if there is any potential for uncontrolled relea exposure levels are unknown, or any other circumstar where air purifying respirators may not provide adequa protection. 			l limits. Where or are ould be worn. 010.134) and ction provided any hazar-
	where air	levels are unkno purifying respire	own, or any other circu	ed release, umstance
Hand protection Material Glove thickness Wearing time	where air	levels are unkno purifying respire	own, or any other circu	ed release, umstance
Material Glove thickness	 where air protection Viton® 0.7 mm 120 min Choose g on the co applicatio micals of manufact workday. 	levels are unknown purifying respiration. gloves to protect ncentration spectons, we recomment the aforemention curer. Wash hance	hands against chemic ific to place of work. F end clarifying the resis hed protective gloves is before breaks and a ne is not determined f	ed release, umstance adequate als depending for special tance to che- with the glove at the end of



Vers 11.7		Revision Date: 04/14/2023		S Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017			
	Skin and body protection		:	If assessment der	g personal protective equipment: nonstrates that there is a risk of explosive ash fires, use flame retardant antistatic J.			
	Hygiene measures			If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the wor- king place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.				
SEC	TION 9	. PHYSICAL AND CHE	EMI		8			
	Appear	ance	:	liquid				
	Color		:	colorless				
	Odor		:	ether-like				
	Odor T	hreshold	:	No data available)			
	pН		:	No data available	9			
	Melting	point/freezing point	:	< -58.0 °F / < -50	0°C			
	Initial b range	oiling point and boiling	:	100 °F / 38 °C (1,013 hPa)				
	Flash p	oint	:	Method: ASTM D does not flash	93			
	Evapor	ation rate	:	No data available)			
	Flamma	ability (solid, gas)	:	Not applicable				
	Flamma	ability (liquids)	:	No data available	9			
		explosion limit / Upper bility limit	:	Upper flammabili 11.0 %(V) Method: ASTM E				
		explosion limit / Lower bility limit	:	Lower flammabili 6.0 %(V) Method: ASTM E				
	Vapor p	pressure	:	614.0 hPa (77 °F	/ 25 °C)			
	Relative	e vapor density	:	4.7				



Version 11.7	Revision Date: 04/14/2023		S Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
De	nsity	:	1.33 g/cm³ (77 °l	= / 25 °C)
So	Solubility(ies) Water solubility		slightly soluble	
	Partition coefficient: n- octanol/water		Not applicable	
Au	Autoignition temperature		No data available	9
De	composition temperature	:	No data available	9
	cosity Viscosity, dynamic	:	0.49 mPa.s (77 °	F / 25 °C)
	Viscosity, kinematic	:	No data available	9
Ex	plosive properties	:	In use may form	flammable/explosive vapor-air mixture.
Ox	idizing properties	:	The substance o	r mixture is not classified as oxidizing.
Pa	rticle size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Vapors may form flammable mixture with air In use may form flammable/explosive vapor-air mixture.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:



Vertrel[™] MCA Plus specialty fluid

ersion .7	Revision Date: 04/14/2023	SDS Number:Date of last issue: 01/19/20231327511-00048Date of first issue: 02/27/2017
Acute	oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity		: LC50 (Rat): 114.428 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403
		No observed adverse effect concentration (Dog): 5000 ppn Test atmosphere: gas Method: Cardiac sensitization study
		Lowest observed adverse effect concentration (Dog): > 500 ppm Test atmosphere: gas Method: Cardiac sensitization study
		Cardiac sensitisation threshold limit (Dog): > 51,544 mg/m³ Test atmosphere: gas Method: Cardiac sensitization study
Acute	dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402
Trans	-Dichloroethylene:	
	oral toxicity	: LD50 (Rat): 7,902 mg/kg Method: OECD Test Guideline 420
Acute	inhalation toxicity	: LC50 (Rat): 95.5 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403
		Lowest observed adverse effect concentration (Dog): 2500 ppm Test atmosphere: gas
		Cardiac sensitisation threshold limit (Dog): 991,309 mg/m ³ Test atmosphere: gas
Acute	dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg Method: OECD Test Guideline 402
Cyclo	pentane:	
-	oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 423
Acute	inhalation toxicity	: LC50 (Rat): > 25.3 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403

Pentane:



rsion 7	Revision Date: 04/14/2023	SDS Numb 1327511-0					
Acute	oral toxicity	Method	Rat): > 2,000 mg/kg d: OECD Test Guideline 401 sment: The substance or mixture has no acute oral tox-				
Acute inhalation toxicity		Exposu Test at Methoo	 LC50 (Rat): > 20 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403 Remarks: Based on data from similar materials 				
Skin	corrosion/irritation						
Not cl	assified based on ava	ilable informat	tion.				
<u>Comp</u>	<u>oonents:</u>						
1,1,1,	2,2,3,4,5,5,5-Decaflue	propentane:					
Speci		: Rabbit					
Metho Resul			Test Guideline 404 n irritation				
Trans	s-Dichloroethylene:						
Speci		: Rabbit					
Metho			Test Guideline 404				
Resul	t	: Mild sk	in irritation				
Cyclo	ppentane:						
Speci		: Rabbit					
Resul			n irritation				
Rema	arks	: Based	on data from similar materials				
Asses	ssment	: Repeat	ted exposure may cause skin dryness or cracking.				
Penta	ane:						
Speci		: Rabbit					
Resul	t	: No skir	nirritation				
Asses	ssment	: Repeat	ted exposure may cause skin dryness or cracking.				
Serio	us eye damage/eye i	rritation					
	es eye irritation.						
Com	oonents:						
1.1.1.	2,2,3,4,5,5,5-Decaflu	propentane:					
Speci		: Rabbit					
Resul			irritation				
Metho	bd		Test Guideline 405				
Trans	S-Dichloroethylene:						
Speci	-	: Rabbit					
•							



ersion .7	Revision Date: 04/14/2023	SDS Number: 1327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017				
Result Method			Irritation to eyes, reversing within 7 daysOECD Test Guideline 405				
Cyclo	pentane:						
Cyclopentane: Species Result		: Rabbit					
		: No eye irritatior					
Metho			: OECD Test Guideline 405				
Rema	irks	: Based on data	from similar materials				
Penta	ine:						
Speci	es	: Rabbit					
Resul		: No eye irritatior	1				
Metho	bd	: OECD Test Gu	ideline 405				
Resp	iratory or skin sens	itization					
Skin	sensitization						
Not cl	assified based on av	ailable information.					
-	iratory sensitization assified based on av						
Components:							
1,1,1,	2,2,3,4,5,5,5-Decaflu	uoropentane:					
Test	Гуре	: Buehler Test					
	s of exposure	: Skin contact					
Speci		: Guinea pig					
Metho		: OECD Test Gu	ideline 406				
Resul	t	: negative					
Cyclo	pentane:						
Test		: Maximization T	est				
	s of exposure	: Skin contact					
Speci		: Guinea pig					
Resul Rema		: negative	from similar materials				
Rema	IIKS	. Dased on data	nom similar materials				
Penta	ine:						
Test		: Maximization T	est				
	s of exposure	: Skin contact					
Speci		: Guinea pig					
Resul	t	: negative					
Germ	cell mutagenicity						
Not cl	assified based on av	ailable information.					

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:

:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471



Version Revision Date: 11.7 04/14/2023	SDS Number:Date of last issue: 01/19/20231327511-00048Date of first issue: 02/27/2017
	Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
Trans-Dichloroethylen	9:
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
Cyclopentane:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo
	12 / 22



ersion .7	Revision Date: 04/14/2023	SDS Number: 1327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
		Result: negative	te: inhalation (vapor)
Penta	ane:		
Geno	toxicity in vitro		mosome aberration test in vitro ve 67/548/EEC, Annex V, B.10.
		Test Type: Bacto Result: negative	erial reverse mutation assay (AMES)
Geno	toxicity in vivo	cytogenetic assa Species: Rat Application Rout	te: inhalation (vapor) /e 67/548/EEC, Annex V, B.12.
Carai	nogonioity		
	i nogenicity lassified based on ava	ailable information	
IARC	No ingredie	ent of this product prese	nt at levels greater than or equal to 0.1% is confirmed human carcinogen by IARC.
OSH		nent of this product pres	ent at levels greater than or equal to 0.1% is ogens.
NTP	5	ent of this product prese s a known or anticipated	nt at levels greater than or equal to 0.1% is d carcinogen by NTP.
Repr	oductive toxicity		
-	lassified based on ava	ailable information.	
Com	ponents:		
1,1,1,	2,2,3,4,5,5,5-Decaflu	oropentane:	
	ts on fertility	: Test Type: One- Species: Rat Application Rout	generation reproduction toxicity study te: inhalation (vapor) Test Guideline 415
Effects on fetal development :		Species: Rat Application Rout	atal development toxicity study (teratogenici te: inhalation (vapor) Test Guideline 414
_			



Version 11.7	Revision Date: 04/14/2023		0S Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
	ns-Dichloroethylene: cts on fetal development	:	Test Type: Embry Species: Rat Application Route Method: OECD To Result: negative	
Cvcl	lopentane:			
-	cts on fertility	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Inhalation on data from similar materials
Effeo	Effects on fetal development		Species: Rat Application Route Method: OECD To Result: negative	
Pent	tane:			
Effec	cts on fertility	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study : inhalation (vapor) on data from similar materials
Effeo	cts on fetal development	:	Test Type: Embry Species: Rat Application Route Method: OECD To Result: negative	
STO	T-single exposure			
May	cause drowsiness or dizz	zine	SS.	
Com	nponents:			
Rout	I,2,2,3,4,5,5,5-Decafluor tes of exposure essment	ope : :	Ingestion	Ith effects observed in animals at concentra-

Assessment	:	No significant health effects observed in animals at concentra- tions of 2000 mg/kg bw or less
Routes of exposure Assessment	:	Skin contact No significant health effects observed in animals at concentra- tions of 2000 mg/kg bw or less
Routes of exposure Assessment	:	inhalation (vapor) No significant health effects observed in animals at concentra- tions of 20 mg/l/4h or less



ersion .7	Revision Date: 04/14/2023	SDS Number: 1327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
Trans	-Dichloroethylene:		
Asses	-	: May cause drov	vsiness or dizziness.
Cyclo	pentane:		
Asses		: May cause drov	vsiness or dizziness.
Penta	ne:		
Asses	sment	: May cause drov	vsiness or dizziness.
	repeated exposure assified based on ava	ilable information.	
<u>Comp</u>	onents:		
1,1,1,2	2,2,3,4,5,5,5-Decaflu	oropentane:	
Routes Assess	s of exposure sment	 inhalation (vapolic No significant h tions of 1 mg/l/6 	alth effects observed in animals at concentra
Trans	-Dichloroethylene:		
Routes Assess	s of exposure sment	: Inhalation : No significant h tions of 250 ppr	ealth effects observed in animals at concentra nV/6h/d or less.
Routes Assess	s of exposure sment	: Ingestion : No significant h tions of 100 mg	ealth effects observed in animals at concentra /kg bw or less.
Repea	ted dose toxicity		
<u>Comp</u>	onents:		
1,1,1,2	2,2,3,4,5,5,5-Decaflu	oropentane:	
Specie		: Rat, male and f	emale
NOAE LOAEI		: 15.463 mg/l : 20.618 mg/l	
-	- ation Route	: inhalation (vapo	r)
	ure time	: 90 Days	,
Metho	d	: OECD Test Gui	deline 413
Trans	-Dichloroethylene:		
Specie		: Rat, male and fe	emale
NOAE		: 4000 ppm	
	L ation Route	: > 4000 ppm : Inhalation	
	ure time	: 90 Days	
Metho		: OECD Test Gui	deline 413
mouro		: Rat, male and f	emale
Specie			Sinale
	L	: 3,210 mg/kg : > 3,210 mg/kg	



Version 11.7	Revision Date: 04/14/2023		DS Number: 327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
Application Route Exposure time Method			Ingestion 98 Days OECD Test Guide	eline 408
Specie NOAE Applic	L ation Route ure time	:	Rat 30 mg/l inhalation (vapor) 90 Days OECD Test Guide	
	es L ation Route ure time	:	Rat > 6700 ppm inhalation (gas) 13 Weeks OECD Test Guide	eline 413

Aspiration toxicity

Not classified based on available information.

Components:

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:

No aspiration toxicity classification

Cyclopentane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Pentane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 13 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 10.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202



Version 11.7	Revision Date: 04/14/2023		OS Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017	
	Toxicity to algae/aquatic plants		: EC50 (Selenastrum capricornutum (green algae)): > 120 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
			NOEC (Scenedes mg/l Exposure time: 72 Method: OECD Te		
aqua	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)		NOEC (Daphnia magna (Water flea)): 1.72 mg/l Exposure time: 21 d Method: OECD Test Guideline 211		
Trar	ns-Dichloroethylene:				
	city to fish	:	Exposure time: 96	acrochirus (Bluegill sunfish)): 135 mg/l 5 h on data from similar materials	
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: EPA-660		
Toxi plan	city to algae/aquatic ts	:	EbC50 (Pseudoki mg/l Exposure time: 48 Method: OECD Te		
Сус	lopentane:				
-	city to fish	:	LC50 (Oncorhync Exposure time: 96	hus kisutch (coho salmon)): > 100 mg/l 3 h	
	city to daphnia and other atic invertebrates	:	EL50 (Daphnia m Exposure time: 48	agna (Water flea)): 10.5 mg/l 3 h	
Pen	tane:				
Toxi	city to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 4.26 mg/l Sh	
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 2.7 mg/l 3 h	
Toxi plan	city to algae/aquatic ts	:	ErC50 (Scenedes 10.7 mg/l Exposure time: 72 Method: OECD Te		
			NOEC (Scenedes 2.04 mg/l Exposure time: 72 Method: OECD Te		

Ecotoxicology Assessment



Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects. Remarks: Based on national or regional regulation. Persistence and degradability Components: 1.1,1,2,2,3,4,5,5,5-Decafluoropentane: Biodegradability Result: Not readily biodegradable. Method: OECD Test Guideline 301D Trans-Dichloroethylene: Method: OECD Test Guideline 301D Biodegradability Result: not rapidly degradable. Method: OECD Test Guideline 301D Cyclopentane: Biodegradability Biodegradability Result: Not readily biodegradable. Biodegradability Biodegradability Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Biodegradability Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential Components: 1.1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation is unlikely. Partition coefficient: n- i log Pow: 2.4 (75 °F / 24 °C) Octanol/water Partition coefficient: n- Partition coefficient: n- i log Pow: 3. Cyclopentane: Partition coefficient: n- Pentane: Partition coefficient: n- Partition coefficient: n- i log Pow: 3.45	ersion 1.7	Revision Date: 04/14/2023)S Number: 27511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
Components: 1,1,2,2,3,4,5,5-Decafluoropentane: Biodegradability Result: Not readily biodegradable. Method: OECD Test Guideline 301D Trans-Dichloroethylene: Biodegradability Result: not rapidly degradable. Biodegradability Result: Not readily biodegradable. Method: OECD Test Guideline 301D Cyclopentane: Biodegradability Biodegradability Result: Not readily biodegradable. Biodegradability Result: Not readily biodegradable. Biodegradability Result: Not readily biodegradable. Biodegradability Result: Readily biodegradable. Biodegradation: 87 % Result: Not readily biodegradable. Bioaccumulative potential Stanology and the second	Chro	nic aquatic toxicity	:		
Int.1,1,2,2,3,4,5,5-5-Decafluoropentane: Biodegradability ::::::::::::::::::::::::::::::::::::	Pers	istence and degradat	oility		
Biodegradability : Result: Not readily biodegradable. Method: OECD Test Guideline 301D Trans-Dichloroethylene: Biodegradability : Result: not rapidly degradable Method: OECD Test Guideline 301D Cyclopentane: Biodegradability : Result: Not readily biodegradable. Biodegradability Biodegradability : Result: Not readily biodegradable. Biodegradability : Pentane: Biodegradability : Result: Readily biodegradable. Biodegradable. Biodegradability Pentane: Biodegradability : Result: Readily biodegradable. Biodegradable. Biodegradability Bioaccumulative potential Components: : 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Iog Pow: 2.4 (75 °F / 24 °C) octanol/water Partition coefficient: n- octanol/water : ! Iog Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- octanol/water : ! ! !	Com	ponents:			
Method: OECD Test Guideline 301D Trans-Dichloroethylene: Biodegradability Result: not rapidly degradable. Method: OECD Test Guideline 301D Cyclopentane: Biodegradability Result: Not readily biodegradable. Biodegradability Biodegradability Result: Not readily biodegradable. Exposure time: 28 d Biodegradability Pentane: Biodegradability Biodegradability Result: Readily biodegradable. Exposure time: 28 d Biodegradability Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential Bioaccumulation Components: Intil 1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water i log Pow: 2.4 (75 °F / 24 °C) octanol/water Partition coefficient: n- octanol/water i log Pow: 2.06 octanol/water Partition coefficient: n- actanol/water i log Pow: 3.45	1,1,1	,2,2,3,4,5,5,5-Decaflu	orope	ntane:	
Biodegradability : Result: not rapidly degradable Method: OECD Test Guideline 301D Cyclopentane: : Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F Pentane: : Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Biodegradability : Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential : Components: 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation is unlikely. Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water : log Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- octanol/water : log Pow: 2.06 Partition coefficient: n- octanol/water : log Pow: 3.06 Partition coefficient: n- octanol/water : log Pow: 3.06 Partition coefficient: n- octanol/water : log Pow: 3.45	Biode	egradability	:		
Method: OECD Test Guideline 301D Cyclopentane: Biodegradability Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F Pentane: Result: Readily biodegradable. Biodegradability Biodegradability Result: Readily biodegradable. Biodegradabile Biodegradability Result: Readily biodegradable. Biodegradabile Bioaccumulative potential Exposure time: 28 d Bioaccumulation remarks: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water Iog Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- octanol/water Iog Pow: 2.06 Cyclopentane: Partition coefficient: n- octanol/water Partition coefficient: n- octanol/water Iog Pow: 3.06 Partition coefficient: n- octanol/water Iog Pow: 3.45	Tran	s-Dichloroethylene:			
Biodegradability : Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F Pentane: Biodegradability : Result: Readily biodegradable. Biodegradabile: Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential Components: Image: 28 d 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water : log Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- octanol/water : log Pow: 2.06 Cyclopentane: : log Pow: 3.06 Partition coefficient: n- octanol/water : log Pow: 3.45	Biode	egradability	:		
Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F Pentane: Biodegradability : Result: Readily biodegradable. Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential Components: 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- : log Pow: 2.4 (75 °F / 24 °C) octanol/water Partition coefficient: n- : log Pow: 2.06 octanol/water Partition coefficient: n- : log Pow: 3 octanol/water Pentane: Partition coefficient: n- : log Pow: 3 octanol/water	Cycle	opentane:			
Biodegradability : Result: Readily biodegradable. Biodegradation: 87% Exposure time: 28 d Bioaccumulative potential Components: 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water : Ing Pow: 2.4 (75 °F / 24 °C) Trans-Dichloroethylene: : log Pow: 2.06 Partition coefficient: n- octanol/water : log Pow: 2.06 Cyclopentane: : log Pow: 3.06 Partition coefficient: n- octanol/water : log Pow: 3.45	Biode	egradability	:	Biodegradatior Exposure time	n: 0 % : 28 d
Biodegradation: 87 % Exposure time: 28 d Bioaccumulative potential Components: 1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- : log Pow: 2.4 (75 °F / 24 °C) octanol/water : Iog Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- : log Pow: 2.06 octanol/water : Iog Pow: 2.06 Partition coefficient: n- : log Pow: 3 octanol/water : Partition coefficient: n- Partition coefficient: n- : log Pow: 3 octanol/water : Partition coefficient: n- Partition coefficient: n- : log Pow: 3 octanol/water : Partition coefficient: n- Partition coefficient: n- : log Pow: 3 octanol/water : log Pow: 3.45	Penta	ane:			
Components: 1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- : log Pow: 2.4 (75 °F / 24 °C) octanol/water : log Pow: 2.4 (75 °F / 24 °C) Partition coefficient: n- : log Pow: 2.06 octanol/water : log Pow: 2.06 Ottom : log Pow: 3 octanol/water : log Pow: 3 Partition coefficient: n- : log Pow: 3 octanol/water : log Pow: 3.45	Biode	egradability	:	Biodegradation	n: 87 %
1,1,1,2,2,3,4,5,5,5-Decafluoropentane: Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- : log Pow: 2.4 (75 °F / 24 °C) octanol/water : log Pow: 2.4 (75 °F / 24 °C) Trans-Dichloroethylene: : log Pow: 2.06 Partition coefficient: n- : log Pow: 2.06 octanol/water : log Pow: 2.06 Octanol/water : log Pow: 3.06 Partition coefficient: n- : log Pow: 3 octanol/water : log Pow: 3.45	Bioa	ccumulative potentia	I		
Bioaccumulation : Remarks: Bioaccumulation is unlikely. Partition coefficient: n- octanol/water : log Pow: 2.4 (75 °F / 24 °C) Trans-Dichloroethylene: Partition coefficient: n- octanol/water : log Pow: 2.06 Cyclopentane: Partition coefficient: n- octanol/water : log Pow: 3.06 Partition coefficient: n- octanol/water : log Pow: 3 Partition coefficient: n- octanol/water : log Pow: 3.45	Com	ponents:			
Partition coefficient: n- octanol/water : log Pow: 2.4 (75 °F / 24 °C) Trans-Dichloroethylene: Partition coefficient: n- octanol/water : log Pow: 2.06 Cyclopentane: Partition coefficient: n- octanol/water : log Pow: 3 Partition coefficient: n- octanol/water : log Pow: 3 Partition coefficient: n- octanol/water : log Pow: 3.45	1,1,1	,2,2,3,4,5,5,5-Decaflu	orope	ntane:	
octanol/water Trans-Dichloroethylene: Partition coefficient: n- ctanol/water Cyclopentane: Partition coefficient: n- ctanol/water Partition coefficient: n- ctanol/water Partition coefficient: n- ctanol/water Pentane: Partition coefficient: n- ctanol/water Image: Partition coefficient: n- ctanol/water Image: Partition coefficient: n- ctanol/water Partition coefficient: n- ctanol/water	Bioad	ccumulation	:	Remarks: Bioa	ccumulation is unlikely.
Partition coefficient: n- octanol/water : log Pow: 2.06 Cyclopentane: Partition coefficient: n- octanol/water : log Pow: 3 Pentane: Partition coefficient: n- : log Pow: 3.45			:	log Pow: 2.4 (7	75 °F / 24 °C)
octanol/water Octanol/water Cyclopentane: Partition coefficient: n- Partition coefficient: n- : log Pow: 3 Pentane: Partition coefficient: n- Partition coefficient: n- : log Pow: 3.45	Tran	s-Dichloroethylene:			
Partition coefficient: n- octanol/water Pentane: Partition coefficient: n- I log Pow: 3.45			:	log Pow: 2.06	
Partition coefficient: n- octanol/water Pentane: Partition coefficient: n- I log Pow: 3.45	Cycle	opentane:			
Partition coefficient: n- : log Pow: 3.45	Partit	tion coefficient: n-	:	log Pow: 3	
	Penta	ane:			
			:	log Pow: 3.45	



ersion 1.7	Revision Date: 04/14/2023	SDS Number: 1327511-00048	Date of last issue: 01/19/2023 Date of first issue: 02/27/2017
	lity in soil ata available		
	r adverse effects		
	ata available		
ECTION	13. DISPOSAL CON	SIDERATIONS	
Dispo	osal methods		
Wast	e from residues		accordance with local regulations. e of waste into sewer.
Conta	aminated packaging	handling site f	ners should be taken to an approved waste for recycling or disposal. se specified: Dispose of as unused product.
	14. TRANSPORT INF	ORMATION	
UNR ⁻ Not re	TDG egulated as a dangero	us good	
	-DGR egulated as a dangero	us good	
	-Code egulated as a dangero	us good	
	sport in bulk accordin pplicable for product a	-	ARPOL 73/78 and the IBC Code
Dom	estic regulation		
49 CI UN/IE	F R D/NA number	: UN 3082	

		UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Trans-Dichloroethylene)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	no
Remarks	:	THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE
		SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS
		THE REPORTABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version	Revision Date:	SDS Number:	Date of last issue: 01/19/2023
11.7	04/14/2023	1327511-00048	Date of first issue: 02/27/2017

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)	
Trans-Dichloroethylene	156-60-5	1000	2231	
SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.				
SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.				
	Serious eye damage Specific target orga		r repeated exposure)	

SARA 313	: This material does not contain any chemical components with
	known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
	reporting revers established by OARA The III, dection 513.

US State Regulations

Pennsylvania Right To Know	
1,1,1,2,2,3,4,5,5,5-Decafluoropentane Trans-Dichloroethylene Cyclopentane 1,2-Butylene oxide	138495-42-8 156-60-5 287-92-3 106-88-7
California List of Hazardous Substances	
Trans-Dichloroethylene Cyclopentane	156-60-5 287-92-3
California Permissible Exposure Limits for Chemical Co	ontaminants
Cyclopentane	287-92-3
International Regulations	
Montreal Protocol :	1,1,1,2,2,3,4,5,5,5- Decafluoropentane

Additional regulatory information

1,1,1,2,2,3,4,5,5,5-

138495-42-8

Decafluoropentane


The United States Environmental Protection Agency (USEPA) has established a Significant New Use Rule (SNUR) for one of the components in this product. See 40 CFR § 721.5645

This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D:

SECTION 16. OTHER INFORMATION

Further information





Vertrel[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
WEEL ACGIH / TWA NIOSH REL / TWA	:	Workplace Environmental Exposure Levels (WEEL) 8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C OSHA Z-1 / TWA WEEL / STEL WEEL / TWA	:	Ceiling value not be exceeded at any time. 8-hour time weighted average Short term exposure limit 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EMS - Imergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EMS - Imergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health



Version	Revision Date:	SDS Number:	Date of last issue: 01/19/2023
11.7	04/14/2023	1327511-00048	Date of first issue: 02/27/2017

Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/14/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8